



share OR synchronize server data-type OR datatype

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 12,300 for **share OR synchronize server data-type OR datatype**

**All Results**

[S LEWANDOWSKI](#)

[T Kwan](#)

[R McGrath](#)

[D Reed](#)

[S Handschuh](#)

**Frameworks for Component-Based Client/Server Computing** - group of 35 »

SM LEWANDOWSKI - ACM Computing Surveys, 1998 - portal.acm.org

... Programmers write interactive sequences of **code** using native language ... the expense of equipping each client **component** with an IDL stub for each **server** used ...

Cited by 161 - Related Articles - Web Search - BL Direct

**... and method for administering a meta database as an integral component of an information server** - group of 3 »

MW Thomas, JE Allard, M Howard, S Chung, C Ferroni ... - US Patent 6.061.692, 2000 - Google Patents

... FIG, 5 ID **DATA TYPE** - ... **server** lhal appears lo lhe outside world as alolally separate physical information **server** bul which, in realily may **share** a physical ...

Cited by 22 - Related Articles - Web Search

**CHASM: Static analysis and automatic code generation for improved Fortran 90 and C++...** - group of 2 »

CE Rasmussen, KA Lindlan, B Mohr, J Striegnitz - 2001 LACSI Symposium, 2001 - cs.uoregon.edu

... Fortran 90 to call C++ or to **share** user-defined ... This allows the **server** calls to be made entirely ... enum **DataType** { Int1 = 1, Int2, Int4, Int8, Logical1, Logical2 ...

Cited by 10 - Related Articles - View as HTML - Web Search

**[book] Designing Active Server Pages: Scott Mitchell's Guide to Writing Reusable Code** - group of 2 »

S Mitchell - 2000 - books.google.com

... a number of different methodologies, they all usually **share** a certain ... most com mon approaches to creating modularized **code** is to use **server**-side includes ...

Cited by 8 - Related Articles - Web Search - Library Search

**Managing Attribute—Value Clinical Trials Data Using the ACT/DB Client—Server Database System** - group of 6 »

PM Nadkarni, C Brandt, S Frawley, FG Sayward, R ... - Journal of the American Medical Informatics Association, 1998 - j-amia.org

... the database, but related entities **share** a common ... standard reports, transformation of EAV **server** data (irrespective of **data type**) into client ...

Cited by 42 - Related Articles - Web Search - BL Direct

**Interoperability issues in serving THREDDS data** - group of 2 »

S Nativi, J Caron - unidata.ucar.edu

... Interoperability approach Interoperable Components must **share** some ... WCS **server** USERS ... <<enumeration> **DataType** -enum1:Grid -enum2:Image -enum3:Station -enum4:GIF ...

Cited by 1 - Related Articles - View as HTML - Web Search

**Specification with Java IDL for Correctness and**

KY Sung - doi.ieeecomputersociety.org

... **dataType** dataNameC = optionalInitialValue; } client ClientNameA, ClientNameB, ClientNameC{ precondition ... The three **server** machines **share** the same ...

Related Articles - Web Search

**New Features in SQL Server 2005**

IT Chapter - media.wiley.com

... The xml **datatype** supports several keywords in T-SQL ... connection allows administrators

to get a **share** of CPU ... runaway process without having to restart the **server**. ...

[View as HTML](#) - [Web Search](#)

[An Open Architecture for Usage Analysis in an E-Learning Context](#) - group of 2 »

S Iksal, C Choquet - Advanced Learning Technologies, 2005. ICALT 2005. Fifth IEEE ..., 2005 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... of other services – in order to **share** them. ... doesn't have to know which **server** is concerned ... **type**="date" begin="1" end="25"/> <**DATA type**="component" begin="38 ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[KAON SERVER Prototype](#) - group of 2 »

L Partner - [wonderweb.semanticweb.org](http://wonderweb.semanticweb.org)

... the development of the KAON **SERVER** is funded ... a DL reasoner, a XML Schema **data type component** etc., would have to be combined manually using proprietary **code**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google

Result Page:    1   2   3   4   5   6   7   8   9   10    [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



synchronize server data-type OR datatype OR

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 2,900 for **synchronize server data-type OR datatype OR "data type"**

**All Results**

[J Reppy](#)

[T Dreibholz](#)

[Y Huang](#)

[A Iyengar](#)

[A Herbert](#)

**Print job identification and synchronization between NetWare PServer and atlas RPrinter protocol ... - group of 3 »**

JS Park, JW Tung - US Patent 5,664,075, 1997 - Google Patents

... queue, managed by a PServer (aprint **server**) program, to ... to **synchronize** print jobs with the NetWare PServer ... NULL)) NewPacket=True; /\* Check **Data Type** giyl handle ...

Cited by 4 - Related Articles - Web Search

**Method and system for providing data files that are partitioned by delivery time and data type - group of 3 »**

GC Hunt - US Patent 6,101,546, 2000 - Google Patents

... the file explicitly sets forth the **synchronization** between the ... is to be transferred from a **server** to a ... The channel handlers are **data type** specific in that they ...

Cited by 3 - Related Articles - Web Search

**Data synchronization in the mobile Internet**

L Ren, J Song - Computer Supported Cooperative Work in Design, 2002. The 7th ..., 2002 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... data **synchronization** protocols, each limited to a particular **data type**, device, or ... network by client applications that access the sync **server** network resource. ...

Cited by 1 - Related Articles - Web Search

**... and program storage device for a client and adaptive synchronization and transformation server - group of 3 »**

YW Huang, PS Yu - US Patent 6,477,543, 2002 - Google Patents

... to a **data type** associated with the client and the remote host; wherein the sync logic can be located anywhere on a network remote to the sync **server** and the ...

Cited by 9 - Related Articles - Web Search

**Implementing the reliable server pooling framework - group of 3 »**

T Dreibholz, EP Rathgeb - Telecommunications, 2005. ConTEL 2005. Proceedings of the ..., 2005 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... for PUs) and ENRP (handlespace **synchronization** between PRs). ... the abstract handlespace **datatype** becomes ... Implementing the Reliable **Server** Pooling Framework ...

Cited by 10 - Related Articles - Web Search

**A novel data type for the protocol of data synchronization**

L Ren, M Song, J Song - Computer Supported Cooperative Work in Design, 2004. ..., 2004 - [ieeexplore.ieee.org](http://ieeexplore.ieee.org)

... contains the sync **server** agent and the sync engine, and usually waits for the client to initiate **synchronization**. Page 3 534 4. **Data type** SyncML Supports From ...

Web Search

**A Novel Method for the Short Message or Multimedia Message Synchronization**

Y Zhang, J Liao, T Zhang, X Zhu, J Ma - [doi.ieeecomputersociety.org](http://doi.ieeecomputersociety.org)

... short messages or multimedia messages can be synchronized to the network **server** with a certain **data type**, so we adopt it as the **synchronization** protocol for ...

Related Articles - Web Search

**SyncML Server Alerted Notification - group of 2 »**

OM Alliance - [openmobilealliance.org](http://openmobilealliance.org)

... local connectivity, with the messages being passed on via HTTP to an Internet-hosted **synchronization server**. ... SyncML is both **data type** and data store independent ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

### GIS and G&G Database Synchronization

AD Bodhitama, M Nento, D Stodola - [gis.esri.com](http://gis.esri.com)

... 19 ArcSDE **Server** Setup Update tnsnames.ora in ArcSDE ... Time saving. The **synchronization** process runs for ... WELL\_TOP\_FINDER Source **Data Type**: Oracle Table ...

[Web Search](#)


### Adaptive **Server** - group of 14 »

E Messages - [ianywheresolutions.net](http://ianywheresolutions.net)

... 431 2 MobiLink **Synchronization Server** Error Messages 433 MobiLink

**synchronization server** error messages sorted by code . . . . .

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

Google 

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



synchronize database data-type OR datatype

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** All articles [Recent articles](#) Results 1 - 10 of about 2,520 for **synchronize database data-type OR datatype OR "data**

**All Results**

[I Narang](#)

[Y Kim](#)

[C Mohan](#)

[S Son](#)

[M Lehr](#)

**Database replication with Slony-I**

L Marcotte - Linux Journal, 2005 - [portal.acm.org](http://portal.acm.org)

... sql: a script used to load the additional **datatype** previously defined ... interval if there has been replicable **database** activity, generating SYNC events if ...

Web Search

**[PS] DCE BACKING STORE LIBRARY—FUNCTIONAL SPECIFICATION**

O SIG, DM OSF - [opengroup.org](http://opengroup.org)

... A **database** can be opened multiple times but the library will not **synchronize** across multiple writers. 7. DATA STRUCTURES A "standard prolog" **datatype** ...

Related Articles - View as HTML - Web Search

**GIS and G&G Database Synchronization**

AD Bodhitama, M Nento, D Stodola - [gis.esri.com](http://gis.esri.com)

... Synchronization Setup Update input file with projects to **synchronize**. ... Oracle 8 : **Database** Administration – Oracle University ... Source **Data Type**: Oracle Table ...

Web Search

**Method and means for backup and restoration of a database system linked to a system for filing data - group of 2 »**

LF Cabrera, C Mohan, IS Narang - US Patent 6,453,325, 2002 - Google Patents

... 12 US Patent Sep. 17, 2002 Sheet 9 of 16 US 6,453,325 BI Setup Connection between DBMS and **database** agent Define relation with efr **data type** Send Define Group ...

Cited by 17 - Related Articles - Web Search

**[PS] A Synchronizable Transactional Database**

A Khrabrov, S Sobti, P Yianilos - [pnylab.com](http://pnylab.com)

... is at the core of bedrock open , sync (commit), and abort ... In this section, we rst formally describe a synchronizable **database** as an abstract **data-type**. ...

Related Articles - View as HTML - Web Search

**Datalinks: Managing external data with DB2 universal database - group of 9 »**

JR Davis - IBM Corporation White Paper, August, 1997 - [qbic.almaden.ibm.com](http://qbic.almaden.ibm.com)

... The DATALINK **Data Type** 12 ... The results of many of these efforts have already appeared in IBM's DB2 family of relational **database** management systems (RDBMSs). ...

Cited by 12 - Related Articles - View as HTML - Web Search

**[DOC] Oracle High Availability Solution in a Nutshell - group of 2 »**

HA Concepts, OA Replication, ORAC RAC - [web52-01.oracle.com](http://web52-01.oracle.com)

... Maximum Availability, LGWR, SYNC, AFFIRM, Standby redo logs, Physical ... Heterogeneous **Database** Support, YES, NO, NO, NO, YES. ... **Datatype** Support, ALL, ALL, Do not support ...

Related Articles - View as HTML - Web Search

**Managing Contention and Timing Constraints in a Real-Time Database System - group of 15 »**

MR Lehr, YK Kim, SH Son - Proceedings of the 16th IEEE Real Time Systems Symposium, ... - [doi.ieeecs.org](http://doi.ieeecs.org)

... are ready to apply their updates to the **database**. ... 5] and thread synchronization (RT- Sync) [lo] facilities ... uniformity, StarBase adopts the same **data type** that RT ...

Cited by 22 - Related Articles - Web Search

Synchronizable transactional **database** method and system

PN Yianilos, S Sobti, A Khrabrov - 2002 - freepatentsonline.com

... To **synchronize** the databases they must both compare and ... The major operations supported by a synchronizable **database** as an abstract **data type** are insertion ...

Cached - Web Search

[ps] Developing a real-time **database**: The StarBase experience - group of 5 »

Y Kim, S Son - Real-Time **Database** Systems: Issues and Applications - cs.chungnam.ac.kr

... RT-IPC) [4] and thread synchronization (RT-Sync) [8] facilities. ... Developing a Real-Time **Database** 5 ... of uniformity, StarBase adopts the same **data type** that RT ...

Cited by 7 - Related Articles - View as HTML - Web Search

Goouoooooooooooooogle ►

Result Page:    1   2   3   4   5   6   7   8   9   10    **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google .



middle-tier-server | back-end-server extended |

- 2004

Search

[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 14 of 14 for middle-tier-server | back-end-server extended-assembly OR dll

**All Results**

[A Eyal](#)

[J Frey](#)

[K Lim](#)

[D Multer](#)

[R Little](#)

Practical Automated Filter Generation to Explicitly Enforce Implicit Input Assumptions - group of 5 »

V Razmov, DR Simon - 17th ACSAC, Dec, 2001 - [doi.ieeecomputersociety.org](http://doi.ieeecomputersociety.org)

... intercepting module is an ISAPI filter **DLL** configured to ... Sample XML description of a **back-end server** input filter ... **Type**- and format-checking is also done before ...

Cited by 3 - Related Articles - Web Search

[book] SmarTrip Route Planner an Internet Application Using Various Computer Technologies.

W He - 2002 - [collectionscanada.ca](http://collectionscanada.ca)

Page 1. SmarTrip Route Planner An Internet Application Using Various Computer Technologies Weifeng He Major Project Report in The Department of Computer Science ...

Related Articles - Web Search - Library Search

Streaming media search and playback system for continuous playback of media resources through a ... - group of 2 »

A Eyal - US Patent 6,484,199, 2002 - Google Patents

Page 1. United States Patent Eyal US006484199B2 (io) Patent No.: US 6,484,199

B2 (45) Date of Patent: Nov. 19, 2002 Page 2. (54) STREAMING ...

Cited by 9 - Related Articles - Web Search

Management server for synchronization system - group of 3 »

DL Multer, RE Garner, LA Ridgard, LJ Stannard, DW ... - US Patent 6,757,696, 2004 - Google Patents

Page 1. United States Patent Multer et al. (54) MANAGEMENT SERVER FOR SYNCHRONIZATION SYSTEM (75) Inventors: David L. Multer, Santa ...

Cited by 1 - Related Articles - Web Search

Data package including synchronization data - group of 3 »

DL Multer, RE Garner, LA Ridgard, LJ Stannard, DW ... - US Patent 6,738,789, 2004 - Google Patents

Page 1. (56) United States Patent Multer et al. 707/101, 201, 202;

705/9; 709/206, 236, 248; 711/162; 713/400 References Cited US ...

Cited by 1 - Related Articles - Web Search

Data transfer and synchronization system - group of 5 »

DL Multer, RE Garner, LA Ridgard, LJ Stannard, DW ... - US Patent 6,694,336, 2004 - Google Patents

Page 1. United States Patent Multer et al. (54) DATA TRANSFER AND SYNCHRONIZATION SYSTEM (75) Inventors: David L. Multer, Santa Cruz ...

Cited by 9 - Related Articles - Web Search

Employing management policies to manage instances of objects - group of 3 »

JA Frey, CE Fulkerson Jr, RA Little, GS Puchkoff - US Patent 6,567,818, 2003 - Google Patents

Page 1. United States Patent Frey et al. (54) EMPLOYING MANAGEMENT POLICIES TO MANAGE INSTANCES OF OBJECTS (75) Inventors: Jeffrey ...

Cited by 6 - Related Articles - Web Search

Registration of object factories under multiple interface names - group of 3 »

JA Frey, RA Little, TR Maeurer, GS Puchkoff - US Patent 6,418,447, 2002 - Google Patents

Page 1. United States Patent Frey et al. (54) REGISTRATION OF OBJECT FACTORIES

UNDER MULTIPLE INTERFACE NAMES (75) Inventors: Jeffrey ...

Cited by 5 - Related Articles - Web Search

Facilitating workload management by using a location forwarding capability - group of 3 »

JA Frey, RA Little, GS Puchkoff - US Patent 6,442,564, 2002 - Google Patents

Page 1. United States Patent Frey et al. (54) FACILITATING WORKLOAD MANAGEMENT BY USING A LOCATION FORWARDING CAPABILITY (75) Inventors ...

Cited by 4 - Related Articles - Web Search

Streaming media search and continuous playback system of media resources located by multiple network ... - group of 3 »

A Eyal - US Patent 6,389,467, 2002 - Google Patents

Page 1. United States Patent Eyal (54) STREAMING MEDIA SEARCH AND CONTINUOUS PLAYBACK SYSTEM OF MEDIA RESOURCES LOCATED BY MULTIPLE NETWORK ADDRESSES ...

Cited by 14 - Related Articles - Web Search

Providing composed containers and data objects to support multiple resources - group of 3 »

JA Frey, CE Fulkerson Jr, RA Little, GS Puchkoff - US Patent 6,502,103, 2002 - Google Patents

Page 1. United States Patent Frey et al. (54) PROVIDING COMPOSED CONTAINERS AND DATA OBJECTS TO SUPPORT MULTIPLE RESOURCES (75) Inventors ...

Cited by 3 - Related Articles - Web Search

Streaming media search system - group of 2 »

A Eyal, G Aposporos - US Patent 6,721,741, 2004 - Google Patents

... of links are identified using a web browser component, where the links are selectable to open a corresponding web resource of a specified **data type** on the web ...

Cited by 2 - Related Articles - Web Search

Separating privileged functions from non-privileged functions in a server instance - group of 3 »

JD Aman, JA Frey, RA Little, GS Puchkoff, NP Riggs - US Patent 6,594,671, 2003 - Google Patents

Page 1. United States Patent Aman et al. (54) SEPARATING PRIVILEGED FUNCTIONS FROM NON-PRIVILEGED FUNCTIONS IN A SERVER INSTANCE ...

Related Articles - Web Search

Media search and continuous playback of multiple media resources distributed on a network - group of 3 »

A Eyal - US Patent 6,735,628, 2004 - Google Patents

Page 1. United States Patent Eyal (54) MEDIA SEARCH AND CONTINUOUS PLAYBACK OF MULTIPLE MEDIA RESOURCES DISTRIBUTED ON A NETWORK ...

Cited by 2 - Related Articles - Web Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)





[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

☒ Search only in Engineering, Computer Science, and Mathematics.

☐ Search in all subject areas.

## Scholar

Results 1 - 5 of 5 for data-type "extended assembly" OR dll "middle-tier server". (0.10 seconds)

### All Results

Did you mean: data-type "extended assembly" OR **hall** "middle-tier server"

Tip: Try removing quotes from your search to get more results.

[J Frey](#)

[R Little](#)

[G Puchkoff](#)

[L Neff](#)

[A Wojnicki](#)

Employing management policies to manage instances of objects - group of 3 »

JA Frey, CE Fulkerson Jr, RA Little, GS Puchkoff - US Patent 6,567,818, 2003 - Google Patents

Page 1. United States Patent Frey et al. (54) EMPLOYING MANAGEMENT POLICIES

TO MANAGE INSTANCES OF OBJECTS (75) Inventors: Jeffrey ...

Cited by 6 - Related Articles - Web Search

Registration of object factories under multiple interface names - group of 3 »

JA Frey, RA Little, TR Maeurer, GS Puchkoff - US Patent 6,418,447, 2002 - Google Patents

Page 1. United States Patent Frey et al. (54) REGISTRATION OF OBJECT FACTORIES

UNDER MULTIPLE INTERFACE NAMES (75) Inventors: Jeffrey ...

Cited by 5 - Related Articles - Web Search

Facilitating workload management by using a location forwarding capability - group of 3 »

JA Frey, RA Little, GS Puchkoff - US Patent 6,442,564, 2002 - Google Patents

Page 1. United States Patent Frey et al. (54) FACILITATING WORKLOAD MANAGEMENT

BY USING A LOCATION FORWARDING CAPABILITY (75) Inventors ...

Cited by 4 - Related Articles - Web Search

Providing composed containers and data objects to support multiple resources - group of 3 »

JA Frey, CE Fulkerson Jr, RA Little, GS Puchkoff - US Patent 6,502,103, 2002 - Google Patents

Page 1. United States Patent Frey et al. (54) PROVIDING COMPOSED CONTAINERS

AND DATA OBJECTS TO SUPPORT MULTIPLE RESOURCES (75) Inventors ...

Cited by 3 - Related Articles - Web Search

Separating privileged functions from non-privileged functions in a server instance - group of 3

»

JD Aman, JA Frey, RA Little, GS Puchkoff, NP Riggs - US Patent 6,594,671, 2003 - Google Patents

Page 1. United States Patent Aman et al. (54) SEPARATING PRIVILEGED FUNCTIONS

FROM NON-PRIVILEGED FUNCTIONS IN A SERVER INSTANCE ...

Related Articles - Web Search

Did you mean to search for: data-type "extended assembly" OR **hall** "middle-tier server"

[Google Home](#) - [About Google](#) - [About Google Scholar](#)